17450-2

LED Path Light

User's Manual

Thank you on your purchase of the LED Path Light. **Before installation**, please read this manual carefully and keep for future reference.

Please check the contents before installation

1. LED Path Light

2. 2 screws and 2 Anchors



1.

2.

INSTALLATION

Before you mount your LED Path Light

1. Remove the LED Path Light back cover by loosening the screws on the back.

2. Insert 4 NEW “AA” batteries, making sure the polarity matches.. Do not put the back on until you have gone through the mounting section of the User’s Manual.



NOTE: Please use only new alkaline or lithium batteries. Do not mix old with new batteries. Make sure that the polarity matches.

Mounting your LED Path Light



Mounting your LED Path Light outside.

1. Select the location for your LED Path Light.

Anchors - (drywall)
2a. If you are going to use the anchors, then use a 3/16” drill bit, drill the holes and insert the anchors. Now insert the screws, leaving them 1/8” from the surface (height of the screw head).

Screws only
2b. To install the screws only, use a 1/8” drill bit to drill the marked holes and then insert screws, leaving them 1/8” from the surface (height of the screw head).



3. Now place LED Path Light screw tracks on the screws. Make sure that they are secure.

*Recommended to mount the screws parallel to the ground if you are mounting on a vertical surface.



Template


CAUTION
• Batteries may leak harmful liquids or ignitable materials or explode causing injury and product damage
• Do not mix old and new or other battery types
• Replace all batteries at the same time
• Remove batteries if product is to be unused for extended periods of time

5/4/10

is a trademark of the General Electric Company and is used under license to Jasco Products Company LLC, 10 E. Memorial Road, Oklahoma City, OK 73114.

This Jasco product comes with a limited lifetime warranty. Visit www.jascoproducts.com for details.